




平江县禁止开垦陡坡地图斑分布图



余坪镇禁止开垦陡坡地斑分布图



比例: 1: 115,000


图例

乡镇界线

禁止开垦坡度1 ($>25^{\circ}$)

禁止开垦坡度2 (20°-25°)

向家镇禁止开垦陡坡地图斑分布图



图例

乡镇界线



禁止开垦坡度1 ($>25^{\circ}$)

禁止开垦坡度2 (20°-25°)

比例: 1: 40, 000

品种名称	处理	株高	根长	根重	根重/株高	根重/根长
1. 50% 100%	1	113.1	13.3	1.10	0.0097	0.0072
2. 50% 100%	2	113.1	13.3	1.10	0.0097	0.0072
3. 50% 100%	3	113.1	13.3	1.10	0.0097	0.0072
4. 50% 100%	4	113.1	13.3	1.10	0.0097	0.0072
5. 50% 100%	5	113.1	13.3	1.10	0.0097	0.0072
6. 50% 100%	6	113.1	13.3	1.10	0.0097	0.0072
7. 50% 100%	7	113.1	13.3	1.10	0.0097	0.0072
8. 50% 100%	8	113.1	13.3	1.10	0.0097	0.0072
9. 50% 100%	9	113.1	13.3	1.10	0.0097	0.0072
10. 50% 100%	10	113.1	13.3	1.10	0.0097	0.0072
11. 50% 100%	11	113.1	13.3	1.10	0.0097	0.0072
12. 50% 100%	12	113.1	13.3	1.10	0.0097	0.0072
13. 50% 100%	13	113.1	13.3	1.10	0.0097	0.0072
14. 50% 100%	14	113.1	13.3	1.10	0.0097	0.0072
15. 50% 100%	15	113.1	13.3	1.10	0.0097	0.0072
16. 50% 100%	16	113.1	13.3	1.10	0.0097	0.0072
17. 50% 100%	17	113.1	13.3	1.10	0.0097	0.0072
18. 50% 100%	18	113.1	13.3	1.10	0.0097	0.0072
19. 50% 100%	19	113.1	13.3	1.10	0.0097	0.0072
20. 50% 100%	20	113.1	13.3	1.10	0.0097	0.0072
21. 50% 100%	21	113.1	13.3	1.10	0.0097	0.0072
22. 50% 100%	22	113.1	13.3	1.10	0.0097	0.0072
23. 50% 100%	23	113.1	13.3	1.10	0.0097	0.0072
24. 50% 100%	24	113.1	13.3	1.10	0.0097	0.0072
25. 50% 100%	25	113.1	13.3	1.10	0.0097	0.0072
26. 50% 100%	26	113.1	13.3	1.10	0.0097	0.0072
27. 50% 100%	27	113.1	13.3	1.10	0.0097	0.0072
28. 50% 100%	28	113.1	13.3	1.10	0.0097	0.0072
29. 50% 100%	29	113.1	13.3	1.10	0.0097	0.0072
30. 50% 100%	30	113.1	13.3	1.10	0.0097	0.0072
31. 50% 100%	31	113.1	13.3	1.10	0.0097	0.0072
32. 50% 100%	32	113.1	13.3	1.10	0.0097	0.0072
33. 50% 100%	33	113.1	13.3	1.10	0.0097	0.0072
34. 50% 100%	34	113.1	13.3	1.10	0.0097	0.0072
35. 50% 100%	35	113.1	13.3	1.10	0.0097	0.0072
36. 50% 100%	36	113.1	13.3	1.10	0.0097	0.0072
37. 50% 100%	37	113.1	13.3	1.10	0.0097	0.0072
38. 50% 100%	38	113.1	13.3	1.10	0.0097	0.0072
39. 50% 100%	39	113.1	13.3	1.10	0.0097	0.0072
40. 50% 100%	40	113.1	13.3	1.10	0.0097	0.0072
41. 50% 100%	41	113.1	13.3	1.10	0.0097	0.0072
42. 50% 100%	42	113.1	13.3	1.10	0.0097	0.0072
43. 50% 100%	43	113.1	13.3	1.10	0.0097	0.0072
44. 50% 100%	44	113.1	13.3	1.10	0.0097	0.0072
45. 50% 100%	45	113.1	13.3	1.10	0.0097	0.0072
46. 50% 100%	46	113.1	13.3	1.10	0.0097	0.0072
47. 50% 100%	47	113.1	13.3	1.10	0.0097	0.0072
48. 50% 100%	48	113.1	13.3	1.10	0.0097	0.0072
49. 50% 100%	49	113.1	13.3	1.10	0.0097	0.0072
50. 50% 100%	50	113.1	13.3	1.10	0.0097	0.0072

伍市镇禁止开垦陡坡地图斑分布图



图例



乡镇界线

禁止开垦坡度1 ($>25^{\circ}$)

禁止开垦坡度2 (20°-25°)

比例: 1: 85,000

图斑分布陡坡垦止开镇禁口活图



比例: 1: 110,000


图例

乡镇界线

禁止开垦坡度1 ($>25^{\circ}$)

禁止开垦坡度2 (20°-25°)

瓷江镇禁止开垦陡坡地斑分布图



比例: 1: 100,000

图例



乡镇界线




禁止开垦坡度1 ($>25^{\circ}$)



禁止开垦坡度2 (20°-25°)

童市镇禁止开垦陡坡地图斑分布图



图例

乡镇界线



禁止开垦坡度1 ($> 25^\circ$)




禁止开垦坡度2 ($20^\circ \sim 25^\circ$)




比例: 1: 60,000

天岳街道禁止开垦陡坡地图斑分布图



上塔市镇禁止开垦陡坡地图斑分布图

图斑编号	图斑名称	面积	坐标	坡度	备注
1306260001	上塔市镇禁止开垦陡坡	8.60	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260002	上塔市镇禁止开垦陡坡	12.53	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260003	上塔市镇禁止开垦陡坡	8.81	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260004	上塔市镇禁止开垦陡坡	17.18	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260005	上塔市镇禁止开垦陡坡	6.61	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260006	上塔市镇禁止开垦陡坡	15.32	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260007	上塔市镇禁止开垦陡坡	5.92	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260008	上塔市镇禁止开垦陡坡	12.16	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260009	上塔市镇禁止开垦陡坡	50.53	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260010	上塔市镇禁止开垦陡坡	11.28	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260011	上塔市镇禁止开垦陡坡	9.65	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260012	上塔市镇禁止开垦陡坡	16.35	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260013	上塔市镇禁止开垦陡坡	5.71	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260014	上塔市镇禁止开垦陡坡	2.91	113° 48' 51"	113° 48' 51"	29° 44' 14"
1306260015	上塔市镇禁止开垦陡坡	28.12	113° 48' 51"	113° 48' 51"	29° 44' 14"



图例


乡镇界线

禁止开垦坡度1 (>25°)

禁止开垦坡度2 (20°-25°)

比例: 1: 40,000


三市镇禁止开垦陡坡地图斑分布图

[illegible]

南江镇禁止开垦陡坡地图斑分布图



图斑编号	权属性质	面积	坡度	高程	位置	备注
1306260001	25. 农、林、牧、渔用地	108.11	113. 31.30%	282. 2.10%	113. 30.29%	28. 3.11%
1306260002	25. 农、林、牧、渔用地	124.85	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260003	25. 农、林、牧、渔用地	58.55	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260004	25. 农、林、牧、渔用地	12.40	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260005	25. 农、林、牧、渔用地	37.43	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260006	25. 农、林、牧、渔用地	16.33	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260007	25. 农、林、牧、渔用地	38.13	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260008	25. 农、林、牧、渔用地	18.52	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260009	25. 农、林、牧、渔用地	5.17	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260010	25. 农、林、牧、渔用地	6.94	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260011	25. 农、林、牧、渔用地	10.39	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260012	25. 农、林、牧、渔用地	15.76	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260013	25. 农、林、牧、渔用地	51.25	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260014	25. 农、林、牧、渔用地	18.64	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260015	25. 农、林、牧、渔用地	12.40	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260016	25. 农、林、牧、渔用地	50.94	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260017	25. 农、林、牧、渔用地	11.13	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260018	25. 农、林、牧、渔用地	7.15	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260019	25. 农、林、牧、渔用地	8.11	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260020	25. 农、林、牧、渔用地	18.01	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260021	25. 农、林、牧、渔用地	5.70	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260022	25. 农、林、牧、渔用地	8.06	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260023	25. 农、林、牧、渔用地	13.35	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260024	25. 农、林、牧、渔用地	2.11	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260025	25. 农、林、牧、渔用地	16.39	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260026	25. 农、林、牧、渔用地	10.68	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260027	25. 农、林、牧、渔用地	17.46	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260028	25. 农、林、牧、渔用地	5.13	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260029	25. 农、林、牧、渔用地	5.13	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%
1306260030	25. 农、林、牧、渔用地	5.13	113. 31.30%	282. 2.10%	113. 31.30%	28. 3.11%



图例


乡镇界线

禁止开垦坡度1 (>25°)

禁止开垦坡度2 (20°-25°)

比例: 1: 95,000

木金乡禁止开垦陡坡地图斑分布图



比例: 1: 70,000

图例


乡镇界线

禁止开垦坡度1 ($> 25^{\circ}$)

禁止开垦坡度2 (20°-25°)

[illegible]


龙门镇禁止开垦陡坡地图斑分布图



比例: 1: 85,000

加义镇禁止开垦陡坡地图斑分布图

图斑号	面积	坡度	禁止开垦	备注
1	1.2	25°	禁止开垦	
2	1.5	25°	禁止开垦	
3	1.8	25°	禁止开垦	
4	2.1	25°	禁止开垦	
5	2.4	25°	禁止开垦	
6	2.7	25°	禁止开垦	
7	3.0	25°	禁止开垦	
8	3.3	25°	禁止开垦	
9	3.6	25°	禁止开垦	
10	3.9	25°	禁止开垦	
11	4.2	25°	禁止开垦	
12	4.5	25°	禁止开垦	
13	4.8	25°	禁止开垦	
14	5.1	25°	禁止开垦	
15	5.4	25°	禁止开垦	
16	5.7	25°	禁止开垦	
17	6.0	25°	禁止开垦	
18	6.3	25°	禁止开垦	
19	6.6	25°	禁止开垦	
20	6.9	25°	禁止开垦	
21	7.2	25°	禁止开垦	
22	7.5	25°	禁止开垦	
23	7.8	25°	禁止开垦	
24	8.1	25°	禁止开垦	
25	8.4	25°	禁止开垦	
26	8.7	25°	禁止开垦	
27	9.0	25°	禁止开垦	
28	9.3	25°	禁止开垦	
29	9.6	25°	禁止开垦	
30	9.9	25°	禁止开垦	
31	10.2	25°	禁止开垦	
32	10.5	25°	禁止开垦	
33	10.8	25°	禁止开垦	
34	11.1	25°	禁止开垦	
35	11.4	25°	禁止开垦	
36	11.7	25°	禁止开垦	
37	12.0	25°	禁止开垦	
38	12.3	25°	禁止开垦	
39	12.6	25°	禁止开垦	
40	12.9	25°	禁止开垦	
41	13.2	25°	禁止开垦	
42	13.5	25°	禁止开垦	
43	13.8	25°	禁止开垦	
44	14.1	25°	禁止开垦	
45	14.4	25°	禁止开垦	
46	14.7	25°	禁止开垦	
47	15.0	25°	禁止开垦	
48	15.3	25°	禁止开垦	
49	15.6	25°	禁止开垦	
50	15.9	25°	禁止开垦	
51	16.2	25°	禁止开垦	
52	16.5	25°	禁止开垦	
53	16.8	25°	禁止开垦	
54	17.1	25°	禁止开垦	
55	17.4	25°	禁止开垦	
56	17.7	25°	禁止开垦	
57	18.0	25°	禁止开垦	
58	18.3	25°	禁止开垦	
59	18.6	25°	禁止开垦	
60	18.9	25°	禁止开垦	
61	19.2	25°	禁止开垦	
62	19.5	25°	禁止开垦	
63	19.8	25°	禁止开垦	
64	20.1	25°	禁止开垦	
65	20.4	25°	禁止开垦	
66	20.7	25°	禁止开垦	
67	21.0	25°	禁止开垦	
68	21.3	25°	禁止开垦	
69	21.6	25°	禁止开垦	
70	21.9	25°	禁止开垦	
71	22.2	25°	禁止开垦	
72	22.5	25°	禁止开垦	
73	22.8	25°	禁止开垦	
74	23.1	25°	禁止开垦	
75	23.4	25°	禁止开垦	
76	23.7	25°	禁止开垦	
77	24.0	25°	禁止开垦	
78	24.3	25°	禁止开垦	
79	24.6	25°	禁止开垦	
80	24.9	25°	禁止开垦	
81	25.2	25°	禁止开垦	
82	25.5	25°	禁止开垦	
83	25.8	25°	禁止开垦	
84	26.1	25°	禁止开垦	
85	26.4	25°	禁止开垦	
86	26.7	25°	禁止开垦	
87	27.0	25°	禁止开垦	
88	27.3	25°	禁止开垦	
89	27.6	25°	禁止开垦	
90	27.9	25°	禁止开垦	
91	28.2	25°	禁止开垦	
92	28.5	25°	禁止开垦	
93	28.8	25°	禁止开垦	
94	29.1	25°	禁止开垦	
95	29.4	25°	禁止开垦	
96	29.7	25°	禁止开垦	
97	30.0	25°	禁止开垦	
98	30.3	25°	禁止开垦	
99	30.6	25°	禁止开垦	
100	30.9	25°	禁止开垦	



图例

乡镇界线

禁止开垦坡度1 (> 25°)

禁止开垦坡度2 (20°-25°)

比例: 1: 150,000

虹桥镇禁止开垦陡坡地图斑分布图



图例



乡镇界线

禁止开垦坡度1 ($> 25^{\circ}$)

禁止开垦坡度2 (20°-25°)

比例: 1: 95,000

福寿山镇禁止开垦陡坡地图斑分布图



图例

乡镇界线

禁止开垦坡度1 ($> 25^{\circ}$)

禁止开垦坡度2 (20°-25°)


比例: 1: 68,000

大洲乡禁止开垦陡坡地图斑分布图

图例	说明
乡镇界线	乡镇界线
禁止开垦坡度1 (> 25°)	禁止开垦坡度1 (> 25°)
禁止开垦坡度2 (20°-25°)	禁止开垦坡度2 (20°-25°)

比例: 1: 50,000

岑川镇禁止开垦陡坡地图斑分布图



图例

乡镇界线



禁止开垦坡度1 (> 25°)




禁止开垦坡度2 (20°-25°)




比例: 1: 45,000

板江乡禁止开垦陡坡地图斑分布图



安定镇禁止开垦陡坡地图斑分布图

图斑编号	图斑名称	面积	坐标	备注
13062601524	禁止开垦陡坡	10.31	113° 33' 17" E, 28° 31' 43" N	禁止开垦陡坡
13062601529	禁止开垦陡坡	8.38	113° 33' 17" E, 28° 31' 43" N	禁止开垦陡坡
13062601530	禁止开垦陡坡	9.70	113° 33' 33" E, 28° 31' 24" N	禁止开垦陡坡
13062601539	禁止开垦陡坡	9.78	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601565	禁止开垦陡坡	6.72	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601573	禁止开垦陡坡	5.21	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601577	禁止开垦陡坡	11.01	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601584	禁止开垦陡坡	5.11	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601582	禁止开垦陡坡	6.42	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601590	禁止开垦陡坡	5.15	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601591	禁止开垦陡坡	11.66	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601598	禁止开垦陡坡	5.01	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601604	禁止开垦陡坡	7.42	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601610	禁止开垦陡坡	5.03	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601611	禁止开垦陡坡	8.33	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡
13062601617	禁止开垦陡坡	6.12	113° 33' 40" E, 28° 31' 54" N	禁止开垦陡坡



图例


乡镇界线

禁止开垦坡度1 (>25°)

禁止开垦坡度2 (20°-25°)

比例: 1: 85,000

长寿镇禁止开垦陡坡地图斑分布图



图例

乡镇界线

禁止开垦坡度1 (> 25°)

禁止开垦坡度2 (20°-25°)

比例: 1: 125,000